




AEDES

BioSystem



BioSystem
intercleaner
rotormulcher
scherenmulcher
schlegelmulcher

www.aedes.bz





BioSystem.Serie BSI compact



unilateral - mechanically with gas shock absorber

MOD.				kW/HP	
BSC 110 UL	1.100 mm	1.800-3.000 mm	20/27	210 kg	
BSC 140 UL	1.400 mm	2.200-4.000 mm	25/35	240 kg	

bilateral - mechanically with gas shock absorber

MOD.				kW/HP	
BSC 110 BL	1.100 mm	1.800-3.000 mm	25/35	270 kg	
BSC 160 BL	1.600 mm	2.500-3.600 mm	29/40	320 kg	

www.aedes.bz

Specifiche tecniche e foto indicative non impegnative! • Technische Daten und Fotos indikativ nicht bindend! • Techn





BioSystem.Serie BSI bilaterale



mechanically with gas shock absorber

MOD.		 	KW/HP	
BSM 2000	1.900 mm	2.500-4.000 mm	44/60	520 kg

automatic feeler

MOD.		 	KW/HP	
BSI 1100	1.100 mm	1.500-2.600 mm	29/40	480 kg
BSI 1400	1.300 mm	1.800-3.000 mm	29/40	500 kg
BSI 2000	1.900 mm	2.500-4.000 mm	44/60	570 kg



BioSystem.Serie BS



MOD.



kW/HP



BS 1200

1.250 mm

1.650 mm

600 mm

1

25/35







335 kg

www.aedes.bz

Specifiche tecniche e foto indicative non impegnative! • Technische Daten und Fotos indikativ nicht bindend! • Techn

BioSystem.Serie RMB



MOD.						
	mm	mm	mm	mm	kW/HP	kg
RMB 1200	1.250 mm	1.650 mm	400 mm	4	29/40	400 kg
RMB 1500	1.550 mm	1.950 mm	450 mm	4	37/50	430 kg
RMB 1700	1.750 mm	2.150 mm	740 mm	6	37/50	490 kg
RMB 2000	2.050 mm	2.450 mm	840 mm	6	44/60	520 kg
RMB 2300	2.350 mm	2.750 mm	840 mm	6	51/70	570 kg
RMB 2500	2.550 mm	2.950 mm	840 mm	6	51/70	600 kg



BioSystem.Serie RMSB



MOD.



kW/HP



RMSB 2200

2.200 mm

2.800 mm

840 mm

6

51/70

850 kg

RMSB 2600

2.600 mm

3.200 mm

840 mm

6

58/80

950 kg

RMSB 3000

3.000 mm

3.600 mm

1.000 mm

6

66/90





1.050 kg

www.aedes.bz

Specifiche tecniche e foto indicative non impegnative! • Technische Daten und Fotos indikativ nicht bindend! • Techn

BioSystem.Serie RMF



MOD.						
			H1	H2	kW/HP	KG
RMF 1000	1.100 mm	1.750 mm	(H1/H2/L) 450/190/1.000 mm	2+2	29/40	490 kg
RMF 1200	1.250 mm	1.900 mm	(H1/H2/L) 450/190/1.100 mm	2+2	29/40	510 kg
RMF 1400	1.450 mm	2.100 mm	(H1/H2/L) 450/190/1.150 mm	2+2	29/40	530 kg
RMF 1600	1.650 mm	2.300 mm	(H1/H2/L) 450/190/1.200 mm	2+4	29/40	550 kg
RMF 1800	1.850 mm	2.500 mm	(H1/H2/L) 450/190/1.200 mm	2+4	37/50	570 kg
RMF 2000	2.050 mm	2.700 mm	(H1/H2/L) 450/190/1.200 mm	2+4	44/60	610 kg
RMF 2200	2.250 mm	2.900 mm	(H1/H2/L) 450/190/1.300 mm	2+4	44/60	630 kg
RMF 2400	2.450 mm	3.100 mm	(H1/H2/L) 450/190/1.440 mm	2+4	44/60	650 kg
RMF 2600	2.650 mm	3.300 mm	(H1/H2/L) 450/190/1.440 mm	2+4	58/80	670 kg
RMF 2800	2.850 mm	3.500 mm	(H1/H2/L) 450/190/1.500 mm	2+4	58/80	690 kg
RMF 3000	3.000 mm	3.650 mm	(H1/H2/L) 450/190/1.550 mm	2+4	66/90	710 kg



BioSystem.Serie RMV



MOD.					kW/HP	
RMV 13/17	1.300 mm	1.660 mm	1.280-2.340 mm	1+2	33/45	700 kg
RMV 15/20	1.510 mm	1.995 mm	1.490-2.675 mm	2+4	37/50	745 kg
RMV 17/23	1.730 mm	2.290 mm	1.710-2.970 mm	2+4	44/60	790 kg
RMV 19/26	1.950 mm	2.610 mm	1.930-3.290 mm	2+4	51/70	840 kg
RMV 20/28	2.050 mm	2.800 mm	2.000-3.430 mm	2+4	51/70	870 kg
RMV 22/30	2.220 mm	3.020 mm	2.200-3.700 mm	2+4	58/80	880 kg
RMV 24/34	2.490 mm	3.120 mm	2.450-4.060 mm	2+4	58/80	940 kg
RMV 25/35	2.500 mm	3.500 mm	2.480-4.180 mm	2+4	66/90	1.120 kg

www.aedes.bz

Specifiche tecniche e foto indicative non impegnative! • Technische Daten und Fotos indikativ nicht bindend! • Techn



BioSystem.Serie SM unilateral



MOD.					kW/HP	
SM 900 BioSystem	1.000 mm	1.250 mm	200 mm	6	22/30	550 kg
SM 1000 BioSystem	1.100 mm	1.350 mm	300 mm	6	22/30	570 kg
SM 1250 BioSystem	1.400 mm	1.600 mm	400 mm	9	37/50	590 kg
SM 1350 BioSystem	1.500 mm	1.700 mm	400 mm	9	44/60	640 kg
SM 1500 BioSystem	1.650 mm	1.850 mm	600 mm	9	51/70	680 kg
SM 1750 BioSystem	1.950 mm	2.100 mm	600 mm	12	59/80	760 kg
SM 2000 BioSystem	2.150 mm	2.350 mm	600 mm	15	66/90	870 kg
SM 2250 BioSystem	2.400 mm	2.600 mm	600 mm	15	70/95	920 kg
SM 2500 BioSystem	2.650 mm	2.850 mm	600 mm	15	74/100	1.040 kg
SM 2750 BioSystem	2.900 mm	3.100 mm	600 mm	18	74/100	1.090 kg



BioSystem.Serie SM bilateral



MOD.



kW/HP




MOD.						kW/HP	
SM 1250 BioSystem	1.400 mm	1.950 mm	400 mm	9	60	37/50	660 kg
SM 1350 BioSystem	1.500 mm	2.050mm	400 mm	9	60	44/60	680 kg
SM 1500 BioSystem	1.650 mm	2.200 mm	600 mm	9	72	51/70	700 kg
SM 1750 BioSystem	1.950 mm	2.450 mm	600 mm	12	84	59/80	750 kg
SM 2000 BioSystem	2.150 mm	2.700 mm	600 mm	15	96	66/90	790 kg
SM 2250 BioSystem	2.400 mm	2.950 mm	600 mm	15	108	70/95	870 kg
SM 2500 BioSystem	2.650 mm	3.200 mm	600 mm	15	120	74/100	980 kg
SM 2750 BioSystem	2.900 mm	3.450 mm	600 mm	18	132	74/100	1.030 kg

www.aedes.bz

Specifiche tecniche e foto indicative non impegnative! • Technische Daten und Fotos indikativ nicht bindend! • Techn

BioSystem.Serie SMC



MOD.					kW/HP	 kg
SMC 1550 BioSystem	1.600 mm	2.250 mm	6+6	42+42	51/70	830 kg
SMC 1750 BioSystem	1.800 mm	2.450 mm	9+9	66+66	59/80	870 kg
SMC 1950 BioSystem	2.000 mm	2.650 mm	9+9	66+66	66/90	910 kg
SMC 2150 BioSystem	2.200 mm	2.850 mm	9+9	66+66	66/90	930 kg
SMC 2300 BioSystem	2.350 mm	3.000 mm	9+9	66+66	74/100	950 kg
SMC 2450 BioSystem	2.500 mm	3.150 mm	9+9	66+66	74/100	990 kg
SMC 2550 BioSystem	2.600 mm	3.250 mm	9+9	66+66	74/100	1.010 kg
SMC 2800 BioSystem	2.850 mm	3.500 mm	9+9	72+72	88/120	1.070 kg

